


wiring diagram:

Self-propelled trolley

Series: SGAE VC R 25/2



MORELLO S.R.L.

MATERIAL HANDLING TECHNOLOGY SINCE 1946



customer:

POSTEL GROUP TX USA

n. order:

2762


specifications:

USA

Certification: UL
Feeding: 80V
Control voltage: 24V
Operating Temperature: 0°C...+40°C

Scope: 25t
Axles and wheels: \t1.1; 2 axles / 2 steering axles / 2 drive wheels 2 idle wheels

Securities:
\t1.1; 4 x red mushroom emergency stop buttons
\t1.1; 2 yellow flashers and 1 beeper
1 Clacson
\t1.1; 2 steering sensors 1 steering encoder
\t1.1; 2 negative brakes in traction motors



01	as built and translation	08/07/26	R.G.
REV.	MODIFICA	DATA	FIRMA

COMMESSA M2762

POSTEL GROUP TX USA




DATA 08/07/2026
DOC.Nr. M2762_1
FILE M2762_REV1_ENG
DISEGN. R.G.
APPR.

DOCUMENTO SGAE VC R 25/2
COPERTINA
cover

SCALA	Fogli Totali
	49
Foglio	Foglio Seguento
1	1A

[illegible]




REV.	MODIFICA	DATA	FIRMA

COMMESSA	M2762
POSTEL GROUP TX USA	MORELLO MORELLO S.R.L.


DATA	08/07/2026
DOC.Nr.	M2762_1
FILE	M2762_REV1_ENG
DISEGN.	R.G.
APPR.	

DOCUMENTO	SGAE VC R 25/2
BATTERIA	
battery	


SCALA	Fogli Totali
	49
Foglio	Foglio Seguento
4	5



				COMMESSA M2762		DATA 08/07/2026		DOCUMENTO SGAE VC R 25/2		SCALA									
				POSTEL GROUP TX USA		 MORELLO S.R.L.		DOC.Nr. M2762_1		CONTROLLORE MOTORE TRAZIONE SINISTRO <i>Left Traction Motor Controller</i>			Fogli Totali						
								FILE M2762_REV1_ENG					49						
								DISEGN. R.G.											
REV. MODIFICA				DATA FIRMA		APPR.				Foglio		Foglio Seguento							
0		1		2		3		4		5		6		7		8		9	



				COMMESSA		DATA		DOCUMENTO		SCALA	
				M2762		08/07/2026		SGAE VC R 25/2			
						DOC.Nr. M2762_1				Fogli Totali	
						FILE M2762_REV1_ENG		CONTROLLORE MOTORE TRAZIONE DESTRO		49	
						DISEGN. R.G.		Right Traction Motor Controller		Foglio	
						APPR.				6	
										10	
REV.	MODIFICA	DATA	FIRMA	POSTEL GROUP TX USA		MORELLO					
						MORELLO S.R.L.					




				COMMESSA		DATA		DOCUMENTO		SCALA	
				M2762		08/07/2026		SGAE VC R 25/2			
						DOC.Nr. M2762_1					
						FILE M2762_REV1_ENG		ALIMENTAZIONE AUSILIARI		Fogli Totali	
						DISEGN. R.G.		AUXILIARY CIRCUIT POWER SUPPLY		49	
						APPR.				Foglio	
REV.				MODIFICA		DATA		FIRMA		10	
										11	




				COMMESSA	M2762		DATA	08/07/2026	DOCUMENTO	SGAE VC R 25/2		SCALA	
							DOC.Nr.	M2762_1					Fogli Totali
					POSTEL GROUP TX USA		FILE	M2762_REV1_ENG	SEGNALAZIONI CARRELLO				49
							DISEGN.	R.G.	Cart Reports				Foglio Seguento
REV.	MODIFICA	DATA	FIRMA			MORELLO S.R.L.	APPR.					11	12


F




				COMMESSA		DATA	08/07/2026	DOCUMENTO		SCALA	
				M2762		DOC.Nr.	M2762_1	SGAE VC R 25/2			Fogli Totali
				POSTEL GROUP TX USA		FILE	M2762_REV1_ENG	EMERGENZE BM E RESET			49
				MORELLO MORELLO S.R.L.		DISEGN.	R.G.	<i>BM Emergencies and Reset</i>		Foglio	Foglio Seguento
REV.	MODIFICA	DATA	FIRMA			APPR.				14	16



IN	FUNCTION	OUT	FUNCTION
I11	CH1 Emergency Radio Remote Control	OS1	Emergency Key Controller
I12	CH2 Emergency Radio Control	OS2	Emergency Interlock Security
I13	Emergency on-board machine CH1	OS3	RESERVE
I14	Emergency on-board machine CH1	OS4	RESERVE
I15	RESERVE		
I16	RESERVE		
I17	RESERVE		
I18	Listing Services		
I21	Listing services from PLC	O01	Services Included
I22	External Relay Feedback	O02	Emergency OK
I23	RESERVE	O03	RESERVE
I24	RESERVE	O04	RESERVE
I25	RESERVE		
I26	RESERVE		
I27	RESERVE		
I28	RESERVE		



				COMMESSA M2762		DATA 08/07/2026		DOCUMENTO SGAE VC R 25/2				SCALA																																																																																																																															
						DOC.Nr. M2762_1							Fogli Totali																																																																																																																														
						 MORELLO S.R.L.		FILE M2762_REV1_ENG		EMERGENZA <i>emergency</i>					49																																																																																																																												
								DISEGN. R.G.						Foglio	Foglio Seguento																																																																																																																												
REV.	MODIFICA	DATA	FIRMA			APPR.						17	18																																																																																																																														
0														1														2														3														4														5														6														7														8														9													



REV.	MODIFICA	DATA	FIRMA

COMMESSA **M2762**

POSTEL GROUP TX USA

MORELLO

MORELLO S.R.L.


DATA	08/07/2026
DOC.Nr.	M2762_1
FILE	M2762_REV1_ENG
DISEGN.	R.G.
APPR.	

DOCUMENTO **SGAE VC R 25/2**


EMERGENZA

emergency

SCALA	
	Fogli Totali 49
Foglio	Foglio Seguento
18	19




F					COMMESSA M2762		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2		SCALA	
							DOC.Nr. M2762_1			Fogli Totali	
					POSTEL GROUP TX USA	 MORELLO S.R.L.	FILE M2762_REV1_ENG	PLC ALIMENTAZIONE E CANBUS			49
							DISEGN. R.G.	PLC Power Supply and Canbus		Foglio	Foglio Seguento
	REV.	MODIFICA	DATA	FIRMA			APPR.			19	20
	0	1	2	3	4	5	6	7	8	9	



				COMMESSA	M2762			DATA	08/07/2026		DOCUMENTO	SGAE VC R 25/2		SCALA	
								DOC.Nr.	M2762_1						Fogli Totali
								FILE	M2762_REV1_ENG						49
								DISEGN.	R.G.					Foglio	Foglio Seguento
REV.	MODIFICA		DATA	FIRMA				APPR.						20	21

F





				COMMESSA	M2762	DATA	08/07/2026	DOCUMENTO	SGAE VC R 25/2	SCALA	Fogli Totali
						DOC.Nr.	M2762__1				49
				POSTEL GROUP TX USA		FILE	M2762_REV1__ENG	PLC OUTPUT			
						DISEGN.	R.G.			Foglio	Foglio Seguento
REV.	MODIFICA	DATA	FIRMA		MORELLO S.R.L.	APPR.				24	31

A

B

C

D

E

F

A


B

C

D

E

F



REV.	MODIFICA	DATA	FIRMA

COMMESSA **M2762**


POSTEL GROUP TX USA

MORELLO
MORELLO S.R.L.

DATA	08/07/2026
DOC.Nr.	M2762_1
FILE	M2762_REV1_ENG
DISEGN.	R.G.
APPR.	

DOCUMENTO	SGAE VC R 25/2
CAN BUS	

SCALA	Fogli Totali
	49
Foglio	Foglio Seguento
31	33




				COMMESSA M2762		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2		SCALA	
						DOC.Nr. M2762_1				Fogli Totali
				POSTEL GROUP TX USA		FILE M2762_REV1_ENG	LEGENDA PUNTI CONNESSIONE MORSETTI <i>Legend Terminal Connection Points</i>			49
				MORELLO MORELLO S.R.L.		DISEGN. R.G.			Foglio	Foglio Seguento
REV.	MODIFICA	DATA	FIRMA			APPR.			33	34

A
B
C
D
E
F

0123456789

EP1 X1
Overview



-B1	17.6	5.14	6.14	1
-B1	17.6	5.14	6.14	2
5.11				3
5.12				4
5.15				5
6.11				6
6.12				7
10.1				8
10.3				9
0V				20
0V				21
0V				22
0V				23
0V				24
0V				25
0V				26
0V				27
4.1				28
4.3				29
4.5				30
5.4				31
5.5				32
5.7				33
6.4				34
6.5				35
6.7				36
10.5				37
10.5				38
10.5				39
10.5				40
10.5				41
10.5				42
10.5				43
10.5				44
11.1				45
11.2				46
12.2				47
12.4				48
12.4				49
12.5				50
12.6				51
12.6				52
12.7				53

14.3	14.3	54
14.4	14.4	55
14.7	14.8	56
14.9		57
16.1	16.1	58
16.2	16.2	59
16.21		60
20.1	20.2	61
20.3	20.4	62
20.5	20.6	63
20.7	20.8	64
	21.2	65
21.3	21.4	66
23.1	23.2	67
23.3		68
23.6	23.8	69
	24.2	70
24.3	24.4	71
10.5	10.5	72
0V	0V	73
CAN-G1	CAN-G1	74
CAN-G1	CAN-G1	75
CAN-H1	CAN-H1	76
CAN-H1	CAN-H1	77
CAN-L1	CAN-L1	78
CAN-L1	CAN-L1	79
CAN-G2	CAN-G2	80
CAN-H2	CAN-H2	81
CAN-L2	CAN-L2	82

A
B
C
D
E
F

0123456789

A

B

C

D

E

F

A

B

C

D

E

F

⊙

BM

XS3A

socket for front hand control

TYPE	constructor	Wire ID	NumI	Pin
CSHF 16	Ilme			
			12.4	1
			12.5	2
			12.6	3
			12.7	4
				5
				6
				7
				8
				9
				10
				11
				12
				13
				14
				15
				16
				PE
CHP 16 LS2	Ilme			

⊙

BM

XS3B

socket for rear push-button panel

TYPE	constructor	Wire ID	NumI	Pin
CSHF 16	Ilme			
			12.4	1
			12.5	2
			12.6	3
			12.7	4
				5
				6
				7
				8
				9
				10
				11
				12
				13
				14
				15
				16
				PE
CHP 16 LS2	Ilme			




⊙

PB1


XP3

push-button plug with cable


TYPE	constructor	Wire ID	NumI	Pin
CSHM 16	Ilme			
			12.4	1
			12.5	2
			12.6	3
			12.7	4
				5
				6
				7
				8
				9
				10
				11
				12
				13
				14
				15
				16
				PE
CHV 16 L	Ilme			




				COMMESSA	M2762	DATA	08/07/2026	DOCUMENTO	SGAE VC R 25/2	SCALA	
							DOC.Nr.	M2762_1			Fogli Totali
					POSTEL GROUP TX USA		FILE	M2762_REV1_ENG	CONNETTORI		49
							DISEGN.	R.G.	Connectors	Foglio	Foglio Seguento
REV.	MODIFICA	DATA	FIRMA				APPR.			36	38




REV.	MODIFICA	DATA	FIRMA	COMMESSA M2762		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2	SCALA	
				POSTEL GROUP TX USA	MORELLO MORELLO S.R.L.	DOC.Nr. M2762_1			Fogli Totali
						FILE M2762_REV1_ENG			49
						DISEGN. R.G.		Foglio	Foglio Seguento
						APPR.		38	39





F					COMMESSA	M2762		DATA	08/07/2026	DOCUMENTO	SGAE VC R 25/2		SCALA		F
								DOC.Nr.	M2762_1					Fogli Totali	
								FILE	M2762_REV1_ENG		LAYOUT QUADRO EP1		49		
								DISEGN.	R.G.			Foglio	Foglio Seguento		
	REV.	MODIFICA		DATA	FIRMA	POSTEL GROUP TX USA	MORELLO MORELLO S.R.L.	APPR.			EP1 Panel Layout		40	41	



				COMMESSA M2762		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2	SCALA	
						DOC.Nr. M2762_1			
				POSTEL GROUP TX USA	 MORELLO S.R.L.	FILE M2762_REV1_ENG	LAYOUT QUADRO EP1 <i>EP1 Panel Layout</i>		49
						DISEGN. R.G.			Foglio
REV.	MODIFICA	DATA	FIRMA			APPR.		41	43

[illegible]

	0	1	2	3	4	5	6	7	8	9																																																																																									
A	<table><tr><th>Name/Item</th><th>type/type</th><th>Descrizione/Description</th><th>Manufacturer/Marke</th><th>Quadro/Board</th><th>Q.ta/Q.ty</th><th>Internal code</th></tr><tr><td>31.R1</td><td>E11589</td><td>Terminal Resistor F</td><td>Ifm</td><td>BM</td><td>1</td><td>E_CQD_CON_0009</td></tr><tr><td>W5</td><td>E11594</td><td>Canopen M12 M-F 5m Cable</td><td>Ifm</td><td>BM</td><td>1</td><td>E_CAV_CON_0009</td></tr><tr><td>W6</td><td>7000-40542-8030030</td><td>Canopen cable M12 M-F 90° 0.30m</td><td>MURR ELEKTRONIK</td><td>BM</td><td>1</td><td>E_CAV_CON_0048</td></tr><tr><td rowspan="2">X5</td><td>APV 14</td><td>CASS.AP 168x192x80 *NEW*</td><td>Ilme</td><td rowspan="2">BM</td><td>1</td><td>E_QDR_STD_0008</td></tr><tr><td>APF 14</td><td>14VC Mounting Plate</td><td>Ilme</td><td>1</td><td>E_ACC_QDR_0025</td></tr><tr><td rowspan="2">X5</td><td>1706010000</td><td>ZDU 2.5-2/3AN Thru-Clamp, Locking Spring, 2.5 mm², 800 V, 24 A, Dark Beige</td><td>Weidmuller</td><td rowspan="2">BM</td><td>16</td><td>E_CQD_TER_0006</td></tr><tr><td>1061200000</td><td>Fixing terminal for TS 35 WEW 35/2</td><td>Weidmuller</td><td>2</td><td>E_CQD_TER_0017</td></tr><tr><td rowspan="2">X6</td><td>1706010000</td><td>ZDU 2.5-2/3AN Thru-Clamp, Locking Spring, 2.5 mm², 800 V, 24 A, Dark Beige</td><td>Weidmuller</td><td rowspan="2">BM</td><td>18</td><td>E_CQD_TER_0006</td></tr><tr><td>1061200000</td><td>Fixing terminal for TS 35 WEW 35/2</td><td>Weidmuller</td><td>2</td><td>E_CQD_TER_0017</td></tr><tr><td rowspan="2">XS3A</td><td>CSHF 16</td><td>Socket Fruit, 16 pE poles, Squich spring clamp connection, 16A max, 500 V, 6kV, 3, with sockets, silver-plated, size 77.27, Frutti Series Class Tecnica</td><td>Ilme</td><td rowspan="2">BM</td><td>1</td><td>E_CON_FEM_0001</td></tr><tr><td>CHP 16 LS2</td><td>Wall-mounted enclosure with single lock with lever and door, 2 outlets PG 21</td><td>Ilme</td><td>1</td><td>M_OGC_PPU_0001</td></tr><tr><td rowspan="2">XS3B</td><td>CSHF 16</td><td>Socket Fruit, 16 pE poles, Squich spring clamp connection, 16A max, 500 V, 6kV, 3, with sockets, silver-plated, size 77.27, Frutti Series Class Tecnica</td><td>Ilme</td><td rowspan="2">BM</td><td>1</td><td>E_CON_FEM_0001</td></tr><tr><td>CHP 16 LS2</td><td>Wall-mounted enclosure with single lock with lever and door, 2 outlets PG 21</td><td>Ilme</td><td>1</td><td>M_OGC_PPU_0001</td></tr></table>										Name/Item	type/type	Descrizione/Description	Manufacturer/Marke	Quadro/Board	Q.ta/Q.ty	Internal code	31.R1	E11589	Terminal Resistor F	Ifm	BM	1	E_CQD_CON_0009	W5	E11594	Canopen M12 M-F 5m Cable	Ifm	BM	1	E_CAV_CON_0009	W6	7000-40542-8030030	Canopen cable M12 M-F 90° 0.30m	MURR ELEKTRONIK	BM	1	E_CAV_CON_0048	X5	APV 14	CASS.AP 168x192x80 *NEW*	Ilme	BM	1	E_QDR_STD_0008	APF 14	14VC Mounting Plate	Ilme	1	E_ACC_QDR_0025	X5	1706010000	ZDU 2.5-2/3AN Thru-Clamp, Locking Spring, 2.5 mm ² , 800 V, 24 A, Dark Beige	Weidmuller	BM	16	E_CQD_TER_0006	1061200000	Fixing terminal for TS 35 WEW 35/2	Weidmuller	2	E_CQD_TER_0017	X6	1706010000	ZDU 2.5-2/3AN Thru-Clamp, Locking Spring, 2.5 mm ² , 800 V, 24 A, Dark Beige	Weidmuller	BM	18	E_CQD_TER_0006	1061200000	Fixing terminal for TS 35 WEW 35/2	Weidmuller	2	E_CQD_TER_0017	XS3A	CSHF 16	Socket Fruit, 16 pE poles, Squich spring clamp connection, 16A max, 500 V, 6kV, 3, with sockets, silver-plated, size 77.27, Frutti Series Class Tecnica	Ilme	BM	1	E_CON_FEM_0001	CHP 16 LS2	Wall-mounted enclosure with single lock with lever and door, 2 outlets PG 21	Ilme	1	M_OGC_PPU_0001	XS3B	CSHF 16	Socket Fruit, 16 pE poles, Squich spring clamp connection, 16A max, 500 V, 6kV, 3, with sockets, silver-plated, size 77.27, Frutti Series Class Tecnica	Ilme	BM	1	E_CON_FEM_0001	CHP 16 LS2	Wall-mounted enclosure with single lock with lever and door, 2 outlets PG 21	Ilme	1	M_OGC_PPU_0001	A
Name/Item	type/type	Descrizione/Description	Manufacturer/Marke	Quadro/Board	Q.ta/Q.ty	Internal code																																																																																													
31.R1	E11589	Terminal Resistor F	Ifm	BM	1	E_CQD_CON_0009																																																																																													
W5	E11594	Canopen M12 M-F 5m Cable	Ifm	BM	1	E_CAV_CON_0009																																																																																													
W6	7000-40542-8030030	Canopen cable M12 M-F 90° 0.30m	MURR ELEKTRONIK	BM	1	E_CAV_CON_0048																																																																																													
X5	APV 14	CASS.AP 168x192x80 *NEW*	Ilme	BM	1	E_QDR_STD_0008																																																																																													
	APF 14	14VC Mounting Plate	Ilme		1	E_ACC_QDR_0025																																																																																													
X5	1706010000	ZDU 2.5-2/3AN Thru-Clamp, Locking Spring, 2.5 mm ² , 800 V, 24 A, Dark Beige	Weidmuller	BM	16	E_CQD_TER_0006																																																																																													
	1061200000	Fixing terminal for TS 35 WEW 35/2	Weidmuller		2	E_CQD_TER_0017																																																																																													
X6	1706010000	ZDU 2.5-2/3AN Thru-Clamp, Locking Spring, 2.5 mm ² , 800 V, 24 A, Dark Beige	Weidmuller	BM	18	E_CQD_TER_0006																																																																																													
	1061200000	Fixing terminal for TS 35 WEW 35/2	Weidmuller		2	E_CQD_TER_0017																																																																																													
XS3A	CSHF 16	Socket Fruit, 16 pE poles, Squich spring clamp connection, 16A max, 500 V, 6kV, 3, with sockets, silver-plated, size 77.27, Frutti Series Class Tecnica	Ilme	BM	1	E_CON_FEM_0001																																																																																													
	CHP 16 LS2	Wall-mounted enclosure with single lock with lever and door, 2 outlets PG 21	Ilme		1	M_OGC_PPU_0001																																																																																													
XS3B	CSHF 16	Socket Fruit, 16 pE poles, Squich spring clamp connection, 16A max, 500 V, 6kV, 3, with sockets, silver-plated, size 77.27, Frutti Series Class Tecnica	Ilme	BM	1	E_CON_FEM_0001																																																																																													
	CHP 16 LS2	Wall-mounted enclosure with single lock with lever and door, 2 outlets PG 21	Ilme		1	M_OGC_PPU_0001																																																																																													
B										B																																																																																									
C										C																																																																																									
D										D																																																																																									
E										E																																																																																									
F	<table><tr><td></td><td></td><td></td><td></td><td rowspan="4">COMMESSA M2762</td><td rowspan="4">POSTEL GROUP TX USA</td><td rowspan="4"> MORELLO MORELLO S.R.L. </td><td>DATA 08/07/2026</td><td rowspan="4">DOCUMENTO SGAE VC R 25/2</td><td colspan="2">SCALA</td></tr><tr><td></td><td></td><td></td><td></td><td>DOC.Nr. M2762_1</td><td></td><td>Fogli Totali</td></tr><tr><td></td><td></td><td></td><td></td><td>FILE M2762_REV1_ENG</td><td rowspan="2">DISTINTA MATERIALI</td><td></td><td>49</td></tr><tr><td></td><td></td><td></td><td></td><td>DISEGN. R.G.</td><td>Foglio</td><td>Foglio Seguento</td></tr><tr><td>REV.</td><td>MODIFICA</td><td>DATA</td><td>FIRMA</td><td></td><td></td><td></td><td>APPR.</td><td><i>Bill of Materials</i></td><td>44</td><td>45</td></tr></table>					COMMESSA M2762	POSTEL GROUP TX USA	MORELLO MORELLO S.R.L.	DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2	SCALA						DOC.Nr. M2762_1		Fogli Totali					FILE M2762_REV1_ENG	DISTINTA MATERIALI		49					DISEGN. R.G.	Foglio	Foglio Seguento	REV.	MODIFICA	DATA	FIRMA				APPR.	<i>Bill of Materials</i>	44	45										F																																												
				COMMESSA M2762	POSTEL GROUP TX USA				MORELLO MORELLO S.R.L.		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2	SCALA																																																																																						
											DOC.Nr. M2762_1			Fogli Totali																																																																																					
											FILE M2762_REV1_ENG		DISTINTA MATERIALI		49																																																																																				
						DISEGN. R.G.	Foglio	Foglio Seguento																																																																																											
REV.	MODIFICA	DATA	FIRMA				APPR.	<i>Bill of Materials</i>	44	45																																																																																									
	0	1	2	3	4	5	6	7	8	9																																																																																									

<i>Name/Item</i>	<i>type/type</i>	Descrizione/Description	Manufacturer/Marke	Quadro/Board	Q.ta/Q.ty	<i>Internal code</i>
4.GS2	329000953	<i>Rectifier Green 6 80V 100A 460/480V</i>	ELSA	CG	1	

				COMMESSA	M2762	DATA	08/07/2026	DOCUMENTO	SGAE VC R 25/2	SCALA	
						DOC.Nr.	M2762_1				Fogli Totali
					POSTEL GROUP TX USA	FILE	M2762_REV1_ENG	DISTINTA MATERIALI			49
						DISEGN.	R.G.	<i>Bill of Materials</i>		Foglio	Foglio Seguento
REV.	MODIFICA		DATA	FIRMA		APPR.				45	46

	0	1	2	3	4	5	6	7	8	9					
A	Q	<i>Name/Item</i>	<i>type/type</i>	Descrizione/Description	<i>Manufacturer/Marke</i>	Quadro/Board	Q.ta/Q.ty	<i>Internal code</i>							
		4.KA1	324000019	BMS SMART GAUGE CANbus	ALIAINT	EP1	1	E_CQD_BRD_0057							
		5.FU1	CNL250DIN	<i>Traction Fuse 250A</i>	MERSEN	EP1	1								
		5.FU2	0102002	<i>Fuse 5x20F STD 2A 250V</i>	Italweber	EP1	1	E_CQD_FUS_0016							
		5.GF1	470336321	1232SE-6321 48-80V 250A	Curtis	EP1	1	E_CQD_AZN_0008							
		5.KM1	C29556	<i>Contactor SW80B/6 24V C0</i> <i>100A(Interrupted)/125A(Uninterrupted)</i>	ZTP	EP1	1	E_CQD_TEL_0007							
		6.FU1	CNL250DIN	<i>Traction Fuse 250A</i>	MERSEN	EP1	1								
		6.FU2	0102002	<i>Fuse 5x20F STD 2A 250V</i>	Italweber	EP1	1	E_CQD_FUS_0016							
		6.GF1	470336321	1232SE-6321 48-80V 250A	Curtis	EP1	1	E_CQD_AZN_0008							
		6.KM1	C29556	<i>Contactor SW80B/6 24V C0</i> <i>100A(Interrupted)/125A(Uninterrupted)</i>	ZTP	EP1	1	E_CQD_TEL_0007							
B	10.FU1	DF101 FNQ-20	<i>Fuse holder 32A 10x38 1P</i> FNQ-20 BUSS MIDGET Fusibile	Schneider Electric Eaton	EP1	1 1	E_CQD_FUS_0024								
	10.FU2	DF101 FNQ-20	<i>Fuse holder 32A 10x38 1P</i> FNQ-20 BUSS MIDGET Fusibile	Schneider Electric Eaton	EP1	1 1	E_CQD_FUS_0024								
	10.FU3	0101001	<i>Fuse 5x20F STD 1A 250V</i>	Italweber	EP1	1	E_CQD_FUS_0015								
C	10.GS1	RSD-500D-24	<i>DC/DC converter 67-154/24V 20A</i>	Mean Well	EP1	1	E_ALM_DTD_0008								
	10.HL1	ZB4BV013	<i>White pilot light head for Ø22 units with smooth lens</i>	Schneider Electric	EP1	1	E_CCS_LED_0012								
		ZB4BZ009	<i>Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack</i>	Schneider Electric		1	E_ACC_CCS_0007								
		ZBVB1	<i>White light element for Ø22 24V head</i>	Schneider Electric		1	E_CCS_LED_0039								
	10.KM1	LC1D18EHE	<i>Tesys D Contactor - 3P(3 NO) 1 NO 1 NC - AC-3 - <= 440 V 18 A - 48-130 V AC/DC Coil - Screw terminals</i>	Schneider Electric	EP1	1	E_CQD_RLY_0050								
D	10.SA1	ZB4BG4 ZB4BZ009	<i>Keyed selector switch</i> <i>Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack</i>	Schneider Electric Schneider Electric	EP1	1 1	E_CCS_KEY_0001 E_ACC_CCS_0007								
		ZBE101	<i>Single contact block for circular pushbutton Ø 22 mm - 1NO with silver alloy screw terminals</i>	Schneider Electric		2	E_CCS_CNT_0007								
	11.HA2	23265800000	<i>IP65 sounder with volume control</i>	Pfannenberg	EP1	1	E_CQD_VEN_0013								
		28300000011	<i>Gasket for sounder P28 DMX</i>	Pfannenberg		1	E_CQD_VEN_0014								
E	14.SH1	ZB4BW313	<i>White luminous wire pushbutton head for Ø22 units with spring return</i>	Schneider Electric	EP1	1	E_CCS_PLS_0005								
		ZB4BZ009	<i>Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack</i>	Schneider Electric		1	E_ACC_CCS_0007								
		ZBE101	<i>Single contact block for circular pushbutton Ø 22 mm - 1NO with silver alloy screw terminals</i>	Schneider Electric		1	E_CCS_CNT_0007								
		ZBVB1	<i>White light element for Ø22 24V head</i>	Schneider Electric		1	E_CCS_LED_0039								
	16.A1	CS MP202M0	<i>CS MP202M0 Programmable Multi-function Safety Module</i>	Pizzato Elettrica	EP1	1	E_CQD_BRD_0155								
F					COMMESSA	M2762		DATA	08/07/2026		DOCUMENTO	SGAE VC R 25/2		SCALA	
								DOC.Nr.	M2762_1				Fogli Totali		
					POSTEL GROUP TX USA		MORELLO S.R.L.	FILE	M2762_REV1_ENG		DISTINTA MATERIALI			49	
								DISEGN.	R.G.				Foglio		Foglio Seguento
	REV.	MODIFICA	DATA	FIRMA			APPR.			<i>Bill of Materials</i>			46	47	
	0	1	2	3	4	5	6	7	8	9					

	0	1	2	3	4	5	6	7	8	9																																																																																																																																																																																																																
A	<table><tr><th>Name/Item</th><th>type/type</th><th>Descrizione/Description</th><th>Manufacturer/Marke</th><th>Quadro/Board</th><th>Q.ta/Q.ty</th><th>Internal code</th></tr><tr><td rowspan="2">17.KA1</td><td>3RT2018-1BB42</td><td>Power Contactor, AC-3 16 A, 7.5 kW / 400 V 1 NC, 24 V DC 3 Poles, Size S00 Screw Terminals</td><td>Siemens</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_RLY_0026</td></tr><tr><td>3RT2916-1LM00</td><td>LED diode,DC 24-70V,S00,</td><td>Siemens</td><td>1</td><td>E_CCS_DID_0002</td></tr><tr><td rowspan="2">17.KA2</td><td>3RT2018-1BB42</td><td>Power Contactor, AC-3 16 A, 7.5 kW / 400 V 1 NC, 24 V DC 3 Poles, Size S00 Screw Terminals</td><td>Siemens</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_RLY_0026</td></tr><tr><td>3RT2916-1LM00</td><td>LED diode,DC 24-70V,S00,</td><td>Siemens</td><td>1</td><td>E_CCS_DID_0002</td></tr><tr><td>17.KA3</td><td>2702663</td><td>Relé SLIM SIL3 1NO+1NC 24VDC</td><td>Phoenix Contact</td><td>EP1</td><td>1</td><td>E_CQD_RLY_0046</td></tr><tr><td>19.R1</td><td>R120Ω</td><td>Resistance 120Ω</td><td>Various</td><td>EP1</td><td>1</td><td>E_CQD_RES_0003</td></tr><tr><td rowspan="2">19.W1</td><td rowspan="2">CR0403 EC0456</td><td>PLC 12 inputs and 12 outputs</td><td>ifm</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_PLC_0001</td></tr><tr><td>Contact Kit</td><td>Ifm</td><td>1</td><td>E_CQD_TER_0003</td></tr><tr><td rowspan="4">20.SH1</td><td>ZB4BW383</td><td>Yellow luminous wire pushbutton head for Ø22 units with spring return</td><td>Schneider Electric</td><td rowspan="4">EP1</td><td>1</td><td>E_CCS_PLS_0001</td></tr><tr><td>ZB4BZ009</td><td>Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack</td><td>Schneider Electric</td><td>1</td><td>E_ACC_CCS_0007</td></tr><tr><td>ZBVB1</td><td>White light element for Ø22 24 V head</td><td>Schneider Electric</td><td>1</td><td>E_CCS_LED_0039</td></tr><tr><td>ZBE101</td><td>Single contact block for circular pushbutton Ø 22 mm - 1NO with silver alloy screw terminals</td><td>Schneider Electric</td><td>1</td><td>E_CCS_CNT_0007</td></tr><tr><td rowspan="3">23.HL1</td><td>ZB4BV043</td><td>Red pilot light head for ø22 units with flat lens</td><td>Schneider Electric</td><td rowspan="3">EP1</td><td>1</td><td>E_CCS_LED_0014</td></tr><tr><td>ZB4BZ009</td><td>Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack</td><td>Schneider Electric</td><td>1</td><td>E_ACC_CCS_0007</td></tr><tr><td>ZBVB1</td><td>White light element for Ø22 24 V head</td><td>Schneider Electric</td><td>1</td><td>E_CCS_LED_0039</td></tr><tr><td rowspan="2">23.KA1</td><td rowspan="2">34.51.7.024.0010 93.61.7.024</td><td>Mini Relay for EMR 1CO 24VDC 6A DC</td><td>Finder</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_RLY_0028</td></tr><tr><td>socket with socket clamps Masterbasic</td><td>Finder</td><td>1</td><td>E_ACC_RLY_0007</td></tr><tr><td rowspan="2">23.KA2</td><td rowspan="2">34.51.7.024.0010 93.61.7.024</td><td>Mini Relay for EMR 1CO 24VDC 6A DC</td><td>Finder</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_RLY_0028</td></tr><tr><td>socket with socket clamps Masterbasic</td><td>Finder</td><td>1</td><td>E_ACC_RLY_0007</td></tr><tr><td rowspan="2">24.KA1</td><td rowspan="2">34.81.7.024.9024 93.61.7.024</td><td>Mini Relay for SSR 1No 24VDC 6A</td><td>Finder</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_RLY_0029</td></tr><tr><td>socket with socket clamps Masterbasic</td><td>Finder</td><td>1</td><td>E_ACC_RLY_0007</td></tr><tr><td>25 x 80</td><td>02578</td><td>T1-EN 25X80 G CAN. CABL.</td><td>Bocchiotti</td><td>EP1</td><td>0.84</td><td>E_CNL_PLA_0003</td></tr><tr><td rowspan="2">31.A1</td><td rowspan="2">E73008 1456200</td><td>M12 5pin A Panel Connector</td><td>Ifm</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_CON_0012</td></tr><tr><td>M12 dust cap</td><td>Phoenix Contact</td><td>1</td><td>E_ACC_CON_0012</td></tr><tr><td>31.D1</td><td>EBC116</td><td>Shunt M12 2F 1M</td><td>Ifm</td><td>EP1</td><td>1</td><td>E_CON_MAS_0004</td></tr><tr><td>31.D2</td><td>EBC116</td><td>Shunt M12 2F 1M</td><td>Ifm</td><td>EP1</td><td>1</td><td>E_CON_MAS_0004</td></tr><tr><td rowspan="2">31.W1</td><td rowspan="2">CR0451 EC0403</td><td>Display LCD</td><td>Ifm</td><td rowspan="2">EP1</td><td>1</td><td>E_CQD_HMI_0001</td></tr><tr><td>Mounting bracket</td><td>Ifm</td><td>1</td><td>E_ACC_HMI_0001</td></tr><tr><td>35 x 15</td><td>023650 b=Ø5,5</td><td>TS 35x15 b=Ø5,5</td><td>Weidmuller</td><td>EP1</td><td>0.78</td><td>E_GUI_DIN_0001</td></tr><tr><td>40 x 80</td><td>02581</td><td>T1-EN 40X80 G CAN. CABL.</td><td>Bocchiotti</td><td>EP1</td><td>1.29</td><td>E_CNL_PLA_0002</td></tr><tr><td>-B1</td><td>ISO2190</td><td>PA insulating pedestal M8 H35</td><td>Teknomega</td><td>EP1</td><td>2</td><td>E_CQD_ISO_0002</td></tr><tr><td rowspan="3">EP1</td><td rowspan="3">BIE/132 8004 Electrical voltage sticker 140x140x140</td><td>Quadro 900x450x250 2 doors</td><td>Zanardo</td><td rowspan="3">EP1</td><td>1</td><td>E_QDR_STD_0130</td></tr><tr><td>Yale Key Lock</td><td>Zanardo</td><td>1</td><td>E_ACC_QDR_0010</td></tr><tr><td>Electrical voltage sticker 140x140x140</td><td>Various</td><td>1</td><td>G_TAR_ADS_0007</td></tr></table>										Name/Item	type/type	Descrizione/Description	Manufacturer/Marke	Quadro/Board	Q.ta/Q.ty	Internal code	17.KA1	3RT2018-1BB42	Power Contactor, AC-3 16 A, 7.5 kW / 400 V 1 NC, 24 V DC 3 Poles, Size S00 Screw Terminals	Siemens	EP1	1	E_CQD_RLY_0026	3RT2916-1LM00	LED diode,DC 24-70V,S00,	Siemens	1	E_CCS_DID_0002	17.KA2	3RT2018-1BB42	Power Contactor, AC-3 16 A, 7.5 kW / 400 V 1 NC, 24 V DC 3 Poles, Size S00 Screw Terminals	Siemens	EP1	1	E_CQD_RLY_0026	3RT2916-1LM00	LED diode,DC 24-70V,S00,	Siemens	1	E_CCS_DID_0002	17.KA3	2702663	Relé SLIM SIL3 1NO+1NC 24VDC	Phoenix Contact	EP1	1	E_CQD_RLY_0046	19.R1	R120Ω	Resistance 120Ω	Various	EP1	1	E_CQD_RES_0003	19.W1	CR0403 EC0456	PLC 12 inputs and 12 outputs	ifm	EP1	1	E_CQD_PLC_0001	Contact Kit	Ifm	1	E_CQD_TER_0003	20.SH1	ZB4BW383	Yellow luminous wire pushbutton head for Ø22 units with spring return	Schneider Electric	EP1	1	E_CCS_PLS_0001	ZB4BZ009	Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack	Schneider Electric	1	E_ACC_CCS_0007	ZBVB1	White light element for Ø22 24 V head	Schneider Electric	1	E_CCS_LED_0039	ZBE101	Single contact block for circular pushbutton Ø 22 mm - 1NO with silver alloy screw terminals	Schneider Electric	1	E_CCS_CNT_0007	23.HL1	ZB4BV043	Red pilot light head for ø22 units with flat lens	Schneider Electric	EP1	1	E_CCS_LED_0014	ZB4BZ009	Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack	Schneider Electric	1	E_ACC_CCS_0007	ZBVB1	White light element for Ø22 24 V head	Schneider Electric	1	E_CCS_LED_0039	23.KA1	34.51.7.024.0010 93.61.7.024	Mini Relay for EMR 1CO 24VDC 6A DC	Finder	EP1	1	E_CQD_RLY_0028	socket with socket clamps Masterbasic	Finder	1	E_ACC_RLY_0007	23.KA2	34.51.7.024.0010 93.61.7.024	Mini Relay for EMR 1CO 24VDC 6A DC	Finder	EP1	1	E_CQD_RLY_0028	socket with socket clamps Masterbasic	Finder	1	E_ACC_RLY_0007	24.KA1	34.81.7.024.9024 93.61.7.024	Mini Relay for SSR 1No 24VDC 6A	Finder	EP1	1	E_CQD_RLY_0029	socket with socket clamps Masterbasic	Finder	1	E_ACC_RLY_0007	25 x 80	02578	T1-EN 25X80 G CAN. CABL.	Bocchiotti	EP1	0.84	E_CNL_PLA_0003	31.A1	E73008 1456200	M12 5pin A Panel Connector	Ifm	EP1	1	E_CQD_CON_0012	M12 dust cap	Phoenix Contact	1	E_ACC_CON_0012	31.D1	EBC116	Shunt M12 2F 1M	Ifm	EP1	1	E_CON_MAS_0004	31.D2	EBC116	Shunt M12 2F 1M	Ifm	EP1	1	E_CON_MAS_0004	31.W1	CR0451 EC0403	Display LCD	Ifm	EP1	1	E_CQD_HMI_0001	Mounting bracket	Ifm	1	E_ACC_HMI_0001	35 x 15	023650 b=Ø5,5	TS 35x15 b=Ø5,5	Weidmuller	EP1	0.78	E_GUI_DIN_0001	40 x 80	02581	T1-EN 40X80 G CAN. CABL.	Bocchiotti	EP1	1.29	E_CNL_PLA_0002	-B1	ISO2190	PA insulating pedestal M8 H35	Teknomega	EP1	2	E_CQD_ISO_0002	EP1	BIE/132 8004 Electrical voltage sticker 140x140x140	Quadro 900x450x250 2 doors	Zanardo	EP1	1	E_QDR_STD_0130	Yale Key Lock	Zanardo	1	E_ACC_QDR_0010	Electrical voltage sticker 140x140x140	Various	1	G_TAR_ADS_0007	
Name/Item	type/type	Descrizione/Description	Manufacturer/Marke	Quadro/Board	Q.ta/Q.ty	Internal code																																																																																																																																																																																																																				
17.KA1	3RT2018-1BB42	Power Contactor, AC-3 16 A, 7.5 kW / 400 V 1 NC, 24 V DC 3 Poles, Size S00 Screw Terminals	Siemens	EP1	1	E_CQD_RLY_0026																																																																																																																																																																																																																				
	3RT2916-1LM00	LED diode,DC 24-70V,S00,	Siemens		1	E_CCS_DID_0002																																																																																																																																																																																																																				
17.KA2	3RT2018-1BB42	Power Contactor, AC-3 16 A, 7.5 kW / 400 V 1 NC, 24 V DC 3 Poles, Size S00 Screw Terminals	Siemens	EP1	1	E_CQD_RLY_0026																																																																																																																																																																																																																				
	3RT2916-1LM00	LED diode,DC 24-70V,S00,	Siemens		1	E_CCS_DID_0002																																																																																																																																																																																																																				
17.KA3	2702663	Relé SLIM SIL3 1NO+1NC 24VDC	Phoenix Contact	EP1	1	E_CQD_RLY_0046																																																																																																																																																																																																																				
19.R1	R120Ω	Resistance 120Ω	Various	EP1	1	E_CQD_RES_0003																																																																																																																																																																																																																				
19.W1	CR0403 EC0456	PLC 12 inputs and 12 outputs	ifm	EP1	1	E_CQD_PLC_0001																																																																																																																																																																																																																				
		Contact Kit	Ifm		1	E_CQD_TER_0003																																																																																																																																																																																																																				
20.SH1	ZB4BW383	Yellow luminous wire pushbutton head for Ø22 units with spring return	Schneider Electric	EP1	1	E_CCS_PLS_0001																																																																																																																																																																																																																				
	ZB4BZ009	Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack	Schneider Electric		1	E_ACC_CCS_0007																																																																																																																																																																																																																				
	ZBVB1	White light element for Ø22 24 V head	Schneider Electric		1	E_CCS_LED_0039																																																																																																																																																																																																																				
	ZBE101	Single contact block for circular pushbutton Ø 22 mm - 1NO with silver alloy screw terminals	Schneider Electric		1	E_CCS_CNT_0007																																																																																																																																																																																																																				
23.HL1	ZB4BV043	Red pilot light head for ø22 units with flat lens	Schneider Electric	EP1	1	E_CCS_LED_0014																																																																																																																																																																																																																				
	ZB4BZ009	Fixing base for electrical elements - for units Ø 22 mm XB4-A - 10/pack	Schneider Electric		1	E_ACC_CCS_0007																																																																																																																																																																																																																				
	ZBVB1	White light element for Ø22 24 V head	Schneider Electric		1	E_CCS_LED_0039																																																																																																																																																																																																																				
23.KA1	34.51.7.024.0010 93.61.7.024	Mini Relay for EMR 1CO 24VDC 6A DC	Finder	EP1	1	E_CQD_RLY_0028																																																																																																																																																																																																																				
		socket with socket clamps Masterbasic	Finder		1	E_ACC_RLY_0007																																																																																																																																																																																																																				
23.KA2	34.51.7.024.0010 93.61.7.024	Mini Relay for EMR 1CO 24VDC 6A DC	Finder	EP1	1	E_CQD_RLY_0028																																																																																																																																																																																																																				
		socket with socket clamps Masterbasic	Finder		1	E_ACC_RLY_0007																																																																																																																																																																																																																				
24.KA1	34.81.7.024.9024 93.61.7.024	Mini Relay for SSR 1No 24VDC 6A	Finder	EP1	1	E_CQD_RLY_0029																																																																																																																																																																																																																				
		socket with socket clamps Masterbasic	Finder		1	E_ACC_RLY_0007																																																																																																																																																																																																																				
25 x 80	02578	T1-EN 25X80 G CAN. CABL.	Bocchiotti	EP1	0.84	E_CNL_PLA_0003																																																																																																																																																																																																																				
31.A1	E73008 1456200	M12 5pin A Panel Connector	Ifm	EP1	1	E_CQD_CON_0012																																																																																																																																																																																																																				
		M12 dust cap	Phoenix Contact		1	E_ACC_CON_0012																																																																																																																																																																																																																				
31.D1	EBC116	Shunt M12 2F 1M	Ifm	EP1	1	E_CON_MAS_0004																																																																																																																																																																																																																				
31.D2	EBC116	Shunt M12 2F 1M	Ifm	EP1	1	E_CON_MAS_0004																																																																																																																																																																																																																				
31.W1	CR0451 EC0403	Display LCD	Ifm	EP1	1	E_CQD_HMI_0001																																																																																																																																																																																																																				
		Mounting bracket	Ifm		1	E_ACC_HMI_0001																																																																																																																																																																																																																				
35 x 15	023650 b=Ø5,5	TS 35x15 b=Ø5,5	Weidmuller	EP1	0.78	E_GUI_DIN_0001																																																																																																																																																																																																																				
40 x 80	02581	T1-EN 40X80 G CAN. CABL.	Bocchiotti	EP1	1.29	E_CNL_PLA_0002																																																																																																																																																																																																																				
-B1	ISO2190	PA insulating pedestal M8 H35	Teknomega	EP1	2	E_CQD_ISO_0002																																																																																																																																																																																																																				
EP1	BIE/132 8004 Electrical voltage sticker 140x140x140	Quadro 900x450x250 2 doors	Zanardo	EP1	1	E_QDR_STD_0130																																																																																																																																																																																																																				
		Yale Key Lock	Zanardo		1	E_ACC_QDR_0010																																																																																																																																																																																																																				
		Electrical voltage sticker 140x140x140	Various		1	G_TAR_ADS_0007																																																																																																																																																																																																																				
F	<table><tr><td></td><td></td><td></td><td></td><td colspan="2">COMMESSA M2762</td><td>DATA 08/07/2026</td><td colspan="2">DOCUMENTO SGAE VC R 25/2</td><td colspan="2">SCALA</td></tr><tr><td></td><td></td><td></td><td></td><td colspan="2" rowspan="3">POSTEL GROUP TX USA</td><td>DOC.Nr. M2762_1</td><td colspan="2" rowspan="3">DISTINTA MATERIALI</td><td></td><td>Fogli Totali</td></tr><tr><td></td><td></td><td></td><td></td><td>FILE M2762_REV1_ENG</td><td></td><td>49</td></tr><tr><td></td><td></td><td></td><td></td><td>DISEGN. R.G.</td><td>Foglio</td><td>Foglio Seguento</td></tr><tr><td>REV.</td><td>MODIFICA</td><td>DATA</td><td>FIRMA</td><td colspan="2" rowspan="2"> MORELLO S.R.L. </td><td>APPR.</td><td colspan="2" rowspan="2">Bill of Materials</td><td>47</td><td>48</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></table>														COMMESSA M2762		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2		SCALA						POSTEL GROUP TX USA		DOC.Nr. M2762_1	DISTINTA MATERIALI			Fogli Totali					FILE M2762_REV1_ENG		49					DISEGN. R.G.	Foglio	Foglio Seguento	REV.	MODIFICA	DATA	FIRMA	MORELLO S.R.L.		APPR.	Bill of Materials		47	48																																																																																																																																																																	
				COMMESSA M2762		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2		SCALA																																																																																																																																																																																																																	
				POSTEL GROUP TX USA		DOC.Nr. M2762_1	DISTINTA MATERIALI			Fogli Totali																																																																																																																																																																																																																
						FILE M2762_REV1_ENG				49																																																																																																																																																																																																																
						DISEGN. R.G.			Foglio	Foglio Seguento																																																																																																																																																																																																																
REV.	MODIFICA	DATA	FIRMA	MORELLO S.R.L.		APPR.	Bill of Materials		47	48																																																																																																																																																																																																																
	0	1	2	3	4	5	6	7	8	9																																																																																																																																																																																																																

<i>Name/Item</i>	<i>type/type</i>	<i>Descrizione/Description</i>	<i>Manufacturer/Marke</i>	<i>Quadro/Board</i>	<i>Q.ta/Q.ty</i>	<i>Internal code</i>
EP1	80v 140x30 sticker 24v 140x30 sticker 268000-GB ZB5SZ3	Adhesive plate 80V 140x30 Adhesive plate 24V 140x30 Red Sticker Plate in English DPR Black Circular Shutter Cap Ø22	Various Various Cembre Schneider Electric	EP1	1 1 1 3	G_TAR_ADS_0017 G_TAR_ADS_0001 G_TAR_ADS_0015 E_ACC_CCS_0004
EP1	RRPTAL85040010	aluminum plate 850x400x10	REAR	EP1	1	E_ACC_QDR_0012
W1	E11598	Canopen M12 M-Cable 2m	Ifm	EP1	1	E_CAV_CON_0016
W2	7000-40542-8030110	Canopen cable M12 M-F 90° 1.10m	MURR ELEKTRONIK	EP1	1	E_CAV_CON_0061
W3	E11591	Canopen cable M12 M-F 0.30m	Ifm	EP1	1	E_CAV_CON_0005
W4	7000-40542-8030110	Canopen cable M12 M-F 90° 1.10m	MURR ELEKTRONIK	EP1	1	E_CAV_CON_0061
X1	1674300000 1689990000 2429860000 9540000000	Double clamp ZDK 2.5/1.5 ZDK 2.5/1.5V Dual Clamp AFS 4 2C BK Fuse terminal block, push in, 4 mm ² , 500 V, 6.3 A, black Fixing terminal for TS 35 ZEW 35 /6mm	Weidmuller Weidmuller Weidmuller Weidmuller	EP1	28 44 2 2	E_CQD_TER_0010 E_CQD_TER_0011 E_CQD_TER_0019 E_CQD_TER_0018

				COMMESSA	M2762	DATA	08/07/2026	DOCUMENTO	SGAE VC R 25/2	SCALA	
						DOC.Nr.	M2762_1				Fogli Totali
				POSTEL GROUP TX USA	 MORELLO S.R.L.	FILE	M2762_REV1_ENG	DISTINTA MATERIALI			49
						DISEGN.	R.G.			Foglio	Foglio Seguento
REV.	MODIFICA		DATA	FIRMA		APPR.		Bill of Materials		48	49

Name/Item	type/type	Descrizione/Description	Manufacturer/Marke	Quadro/Board	Q.ta/Q.ty	Internal code
XP3	CSHM 16	Socket plug, 16 pin PE, connection with Squich spring clamp, 16A max, 500 V, 6kV, 3, with male contacts, silver-plated, size 77.27, Frutti Series Class Tecnica	Ilme	PB1	1	E_CON_MAS_0003
	CHV 16 L	Mobile enclosure with single lock with pegs, vertical outlet PG 21	Ilme		1	E_ACC_CON_0002

				COMMESSA M2762		DATA 08/07/2026	DOCUMENTO SGAE VC R 25/2		SCALA	
				POSTEL GROUP TX USA		DOC.Nr. M2762_1	DISTINTA MATERIALI			Fogli Totali
						FILE M2762_REV1_ENG				49
						DISEGN. R.G.			Foglio	Foglio Seguento
REV.	MODIFICA	DATA	FIRMA			APPR.	<i>Bill of Materials</i>		49	/